

Amended

- (b) at least one silicone compound comprising at least one and not more than two groups capable of reacting with the groups R_1 of the at least one polysiloxane (a),

wherein:

- at least one of the compounds of type (a) and (b) comprises an aliphatic group, such as a C_2 - C_6 aliphatic group, comprising an ethylenic unsaturation.


IN THE CLAIMS:

Please replace claims 1, 4, 8, 39, 76, 77, 80, 82, 92, 97, 101, 102, and 104, with amended claims 1, 4, 8, 39, 76, 77, 80, 82, 92, 97, 101, 102, and 104, as follows:

12

1. (Once Amended) A cosmetic composition comprising, in a cosmetically acceptable medium, at least one non-cellulose thickener and at least one aqueous emulsion comprising at least one silicone copolymer with a dynamic viscosity ranging from 1×10^6 to 100×10^6 cP, resulting from the addition reaction, in the presence of a catalyst, of:

- (a) at least one polysiloxane of formula (I):



in which:

- R_1 , which may be identical or different, are independently chosen from groups that can react by chain addition reaction,

- 92
amended
- R_2 in formula (I), which may be identical or different, are independently chosen from alkyl, alkenyl, cycloalkyl, aryl, hydroxyl, and alkylaryl groups, optionally comprising at least one functional group,
 - n is an integer wherein said at least one polysiloxane of formula (I) has a kinematic viscosity ranging from 1 to 1×10^6 mm²/s; and

(b) at least one silicone compound comprising at least one and not more than two groups capable of reacting with the groups R_1 of said at least one polysiloxane (a), wherein:

- at least one of the compounds of type (a) and (b) comprises an aliphatic group comprising an ethylenic unsaturation.

a3

4. (Once Amended) A composition according to claim 1, wherein the groups R_2 are chosen from hydroxyl groups; alkyl groups comprising from 1 to 20 carbon atoms; cycloalkyl groups comprising from 5 to 6 carbon atoms; phenyl groups; alkylaryl groups comprising from 7 to 20 carbon atoms; and optionally comprising at least one functional group chosen from ethers, amines, carboxyls, hydroxyls, thiols, esters, sulfonates and sulfates.


a4

8. (Once Amended) A composition according to claim 1, wherein said at least one silicone compound of type (b) is another at least one polysiloxane of type (a) in which at least one and not more than two groups R_1 of said at least one silicone compound of type (b) can react with the groups R_1 of said at least one polysiloxane (a).

95
39. (Once Amended) A composition according to claim 37, wherein said quaternary ammonium salts of formula (VII) are chosen from quaternary ammonium salts of formula (VII) wherein:

- R₁₅ is chosen from methyl and ethyl radicals,
- x and y are equal to 1;
- z is equal to 0 or 1;
- n, p and r are equal to 2;
- R₁₆ is chosen from:


- acyl radicals



wherein R₁₉ is defined below,

- methyl, ethyl and C₁₄-C₂₂ hydrocarbon-based radicals, and
- a hydrogen atom;
- R₁₈ is chosen from:

- acyl radicals



- wherein R₂₁ is defined below,

- a hydrogen atom; and
- R₁₇, R₁₉ and R₂₁, which may be identical or different, are independently chosen from linear and branched, saturated and unsaturated, C₁₃-C₁₇ hydrocarbon-based radicals.

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, DC 20005
202-408-4000

AP

76. (Once Amended) A composition according to claim 64, wherein said at least one surfactant is chosen from nonionic surfactants chosen from polyethoxylated, polypropoxylated and polyglycerolated fatty acids, alkylphenols, -diols and alcohols having a fatty aliphatic chain comprising from 8 to 18 carbon atoms, wherein the number of ethylene oxide and propylene oxide groups ranges from 2 to 50 and the number of glycerol groups ranges from 2 to 30, copolymers of ethylene oxide and of propylene oxide, condensates of ethylene oxide and of propylene oxide with fatty alcohols, polyethoxylated fatty amides comprising from 2 to 30 mol of ethylene oxide, polyglycerolated fatty amides comprising on average from 1 to 5 glycerol groups, polyethoxylated fatty amines comprising from 2 to 30 mol of ethylene oxide, oxyethylenated fatty acid esters of sorbitan comprising from 2 to 30 mol of ethylene oxide, fatty acid esters of sucrose, fatty acid esters of polyethylene glycol, alkylpolyglycosides, N-alkylglucamine derivatives, and amine oxides.

77. (Once Amended) A composition according to claim 76, wherein said polyglycerolated fatty amides comprise on average from 1.5 to 4 glycerol groups.


a1

80. (Once Amended) A composition according to claim 64, wherein said at least one surfactant is chosen from amphoteric surfactants chosen from aliphatic secondary and tertiary amine derivatives wherein the aliphatic radical is chosen from linear and branched chain radicals comprising from 8 to 22 carbon atoms and comprising at least one water-soluble anionic group, (C₈-C₂₀)alkylbetaines,

9/17/01
amended

sulfobetaines, (C₈-C₂₀)alkylamido(C₁-C₆)alkylbetaines, and
(C₈-C₂₀)alkylamido(C₁-C₆)alkylsulfobetaines.


82. (Once Amended) A composition according to claim 80, wherein said
amine derivatives are chosen from the compounds:



in which:

- R₂ is chosen from alkyl radicals derived from an acid R₂-COOH present in hydrolysed coconut oil, heptyl, nonyl and undecyl radicals,
- R₃ is chosen from -hydroxyethyl groups, and
- R₄ is chosen from carboxymethyl groups;

and



in which:

- (B) is -CH₂CH₂OX', with X' chosen from a -CH₂CH₂-COOH group and a hydrogen atom,
- (C) is -(CH₂)_z-Y', wherein z is equal to 1 or 2, and with Y' chosen from -COOH and -CH₂-CHOH-SO₃H radicals,
- R₅ is chosen from alkyl radicals and unsaturated C₁₇ radicals.

92. (Once Amended) A rinse-out conditioner, a leave-in conditioner, a composition for permanent-waving the hair, a composition for straightening the hair, a composition for dyeing the hair, a composition for bleaching the hair, a rinse-out


9/17/01
LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, DC 20005
202-408-4000

Angel

composition to be applied before a procedure chosen from dyeing, bleaching, permanent-waving and straightening the hair, a rinse-out composition to be applied after a procedure chosen from dyeing, bleaching, permanent-waving and straightening the hair, a rinse-out composition to be applied between the two steps of a permanent-waving operation, a rinse-out composition to be applied between the two steps of a hair-straightening operation, a washing composition for the body, an aqueous lotion, an aqueous-alcoholic lotion, a gel, a milk, a cream, an emulsion, a thickened lotion, a mousse, or a detergent composition comprising a washing base comprising, in a cosmetically acceptable medium, at least one non-cellulose thickener and at least one aqueous emulsion comprising at least one silicone copolymer with a dynamic viscosity ranging from 1×10^6 to 100×10^6 cP, resulting from the addition reaction, in the presence of a catalyst, of:

- (a) at least one polysiloxane of formula (I):



in which:

- R_1 , which may be identical or different, are independently chosen from groups that can react by chain addition reaction,

- 9*
Antel
- R_2 in formula (I), which may be identical or different, are independently chosen from alkyl, alkenyl, cycloalkyl, aryl, hydroxyl, and alkylaryl groups, optionally comprising at least one functional group,
 - n is an integer wherein said at least one polysiloxane of formula (I) has a kinematic viscosity ranging from 1 to 1×10^6 mm²/s; and
 - (b) at least one silicone compound comprising at least one and not more than two groups capable of reacting with the groups R_1 of said at least one polysiloxane (a), wherein:
 - at least one of the compounds of type (a) and (b) comprises an aliphatic group comprising an ethylenic unsaturation.


9th

97. (Once Amended) A detergent composition according to claim 96, wherein said at least one surfactant is present in an amount effective to provide foaming power and detergent power.

9th

101. (Once Amended) A process of washing or caring for a keratin material comprising applying to said keratin material a composition comprising, in a cosmetically acceptable medium, at least one non-cellulose thickener and at least one aqueous emulsion comprising at least one silicone copolymer with a dynamic viscosity ranging from 1×10^6 to 100×10^6 cP, resulting from the addition reaction, in the presence of a catalyst, of:

- (a) at least one polysiloxane of formula (I):




in which:

- R_1 , which may be identical or different, are independently chosen from groups that can react by chain addition reaction,
- R_2 in formula (I), which may be identical or different, are independently chosen from alkyl, alkenyl, cycloalkyl, aryl, hydroxyl, and alkylaryl groups, optionally comprising at least one functional group,
- n is an integer wherein said at least one polysiloxane of formula (I) has a kinematic viscosity ranging from 1 to 1×10^6 mm²/s; and
- (b) at least one silicone compound comprising at least one and not more than two groups capable of reacting with the groups R_1 of said at least one polysiloxane (a),
wherein:
 - at least one of the compounds of type (a) and (b) comprises an aliphatic group comprising an ethylenic unsaturation.

102. (Once Amended) A process for treating a keratin material comprising applying to said keratin material a composition comprising, in a cosmetically acceptable medium, at least one non-cellulose thickener and at least one aqueous emulsion

comprising at least one silicone copolymer with a dynamic viscosity ranging from 1×10^6 to 100×10^6 cP, resulting from the addition reaction, in the presence of a catalyst, of:

- (a) at least one polysiloxane of formula (I):




in which:

- R_1 , which may be identical or different, are independently chosen from groups that can react by chain addition reaction,
- R_2 in formula (I), which may be identical or different, are independently chosen from alkyl, alkenyl, cycloalkyl, aryl, hydroxyl, and alkylaryl groups, optionally comprising at least one functional group,
- n is an integer wherein said at least one polysiloxane of formula (I) has a kinematic viscosity ranging from 1 to 1×10^6 mm²/s; and
- (b) at least one silicone compound comprising at least one and not more than two groups capable of reacting with the groups R_1 of said at least one polysiloxane (a),
wherein:
 - at least one of the compounds of type (a) and (b) comprises an aliphatic group comprising an ethylenic unsaturation, and optionally rinsing said composition out with water.

all 104. (Once Amended) A process for manufacturing a cosmetic product comprising including in said product at least one non-cellulose thickener and at least one aqueous emulsion comprising at least one silicone copolymer with a dynamic viscosity ranging from 1×10^6 to 100×10^6 cP, resulting from the addition reaction, in the presence of a catalyst, of:

- (a) at least one polysiloxane of formula (I):



in which:

- R_1 , which may be identical or different, are independently chosen from groups that can react by chain addition reaction,
- R_2 in formula (I), which may be identical or different, are independently chosen from alkyl, alkenyl, cycloalkyl, aryl, hydroxyl, and alkylaryl groups, optionally comprising at least one functional group,
- n is an integer wherein said at least one polysiloxane of formula (I) has a kinematic viscosity ranging from 1 to 1×10^6 mm²/s; and